



SPEEDI-SLEEVE SIZE LISTING - INCHES



Nominal Shaft Diameter	"A" Shaft Diameter Range		Stock Number	"X" Width On Shaft (Inches ±.031)	"Y" Overall Width (Inches ±.031)	"D" Flange Diameter (Inches ±.063)	"Z" Installation Depth
	Minimum Inches	Maximum Inches					
0.472	0.469	0.475	99049	0.236	0.331	0.610	1.875
0.500	0.498	0.502	99050	0.250	0.344	0.610	2.000
0.551	0.547	0.551	99055	0.250	0.391	0.750	1.831
0.563	0.560	0.566	99056	0.250	0.391	0.750	1.831
0.591	0.589	0.593	99059	0.197	0.354	0.750	1.862
0.625	0.623	0.627	99062	0.313	0.406	0.750	2.000
0.625	0.623	0.627	99810 ★	0.313	0.406	0.750	2.000
0.630	0.626	0.630	99058	0.313	0.438	0.718	2.000
0.669	0.667	0.671	99068	0.315	0.433	0.875	2.000
0.684	0.682	0.686	99060	0.313	0.438	0.900	2.000
0.709	0.704	0.709	99082	0.315	0.433	0.962	1.811
0.750	0.748	0.752	99076	0.313	0.438	0.945	2.000
0.750	0.748	0.752	99811 ★	0.313	0.438	0.945	2.000
0.760	0.759	0.761	99081	0.313	0.438	0.938	2.000
0.781	0.780	0.784	99080	0.313	0.438	0.935	2.000
0.787	0.785	0.789	99078	0.315	0.433	0.930	2.000
0.859	0.857	0.861	99086	0.250	0.375	1.155	2.000
0.866	0.861	0.866	99084	0.259	0.359	1.188	1.856
0.866	0.861	0.866	99085	0.315	0.472	1.188	1.812
0.875	0.873	0.877	99087	0.313	0.438	1.094	2.000
0.875	0.873	0.877	99812 ★	0.313	0.438	1.094	2.000
0.910	0.908	0.912	99091	0.313	0.438	1.218	1.847
0.910	0.908	0.912	99860 ★	0.313	0.438	1.218	1.847
0.945	0.940	0.945	99092	0.313	0.438	1.130	2.000
0.969	0.966	0.970	99094	0.313	0.438	1.130	2.000
0.969	0.966	0.970	99096	0.625	0.719	1.130	2.000
0.984	0.982	0.986	99098	0.313	0.433	1.300	2.000
0.984	0.982	0.986	99813 ★	0.313	0.433	1.300	2.000
1.000	0.998	1.002	99100	0.313	0.438	1.219	2.000
1.000	0.998	1.002	99814 ★	0.313	0.438	1.219	2.000
1.024	1.019	1.024	99103	0.315	0.472	1.313	1.813
1.063	1.060	1.064	99106	0.313	0.438	1.320	1.843
1.063	1.060	1.064	99815 ★	0.313	0.438	1.320	1.843
1.089	1.087	1.091	99108	0.313	0.438	1.406	0.625
1.102	1.100	1.104	99111	0.375	0.500	1.375	1.843
1.102	1.100	1.104	99866 ★	0.375	0.500	1.375	1.843
1.125	1.123	1.127	99112	0.313	0.438	1.500	0.688
1.125	1.123	1.127	99116	0.375	0.500	1.500	0.688
1.125	1.123	1.127	99816 ★	0.313	0.438	1.500	0.688
1.156	1.154	1.158	99120	0.375	0.500	1.350	0.688
1.175	1.173	1.178	99122	0.313	0.438	1.400	0.688
1.181	1.179	1.184	99114	0.315	0.433	1.400	0.688
1.188	1.185	1.190	99118	0.313	0.438	1.400	0.688
1.219	1.216	1.222	99123	0.313	0.433	1.563	0.625
1.240	1.237	1.243	99141	0.315	0.438	1.540	0.688

SPEEDI-SLEEVE SIZE LISTING - INCHES (Continued)

Nominal Shaft Diameter	"A" Shaft Diameter Range		Stock Number	"X" Width On Shaft (Inches ±.031)	"Y" Overall Width (Inches ±.031)	"D" Flange Diameter (Inches ±.063)	"Z" Installation Depth
	Minimum Inches	Maximum Inches					
1.250	1.247	1.253	99125	0.313	0.438	1.500	0.688
1.250	1.247	1.253	99817 ★	0.313	0.438	1.500	0.688
1.260	1.257	1.263	99128	0.315	0.438	1.500	0.688
1.299	1.297	1.301	99121	0.591	0.709	1.594	1.000
1.313	1.308	1.314	99129	0.250	0.375	1.600	0.813
1.313	1.310	1.316	99131	0.500	0.625	1.594	0.813
1.313	1.310	1.316	99818 ★	0.500	0.625	1.594	0.813
1.339	1.333	1.339	99134	0.500	0.625	1.625	0.813
1.375	1.371	1.377	99133	0.313	0.438	1.638	0.813
1.375	1.371	1.377	99138	0.500	0.625	1.638	0.813
1.375	1.371	1.377	99819 ★	0.500	0.625	1.638	0.813
1.375	1.375	1.381	99139	0.512	0.630	1.638	0.813
1.375	1.375	1.381	99820 ★	0.512	0.630	1.638	0.813
1.417	1.411	1.417	99146	0.512	0.669	1.781	0.984
1.438	1.432	1.438	99143	0.563	0.688	1.781	1.016
1.438	1.432	1.438	99821 ★	0.563	0.688	1.781	1.016
1.438	1.435	1.441	99144	0.375	0.500	1.781	1.016
1.496	1.490	1.496	99147	0.512	0.669	1.781	0.984
1.500	1.497	1.503	99149	0.563	0.688	1.781	1.016
1.500	1.497	1.503	99150	0.375	0.500	1.781	1.016
1.500	1.497	1.503	99822 ★	0.563	0.688	1.781	1.016
1.500	1.497	1.503	99823 ★	0.375	0.500	1.781	1.016
1.523	1.520	1.526	99152	0.438	0.563	1.859	1.016
1.552	1.549	1.555	99155	0.438	0.563	1.859	1.016
1.563	1.559	1.565	99156	0.563	0.688	1.859	1.016
1.563	1.559	1.565	99824 ★	0.563	0.688	1.859	1.016
1.569	1.566	1.572	99159	0.625	0.750	1.859	1.016
1.575	1.569	1.575	99153	0.390	0.509	1.850	1.000
1.578	1.572	1.578	99157	0.512	0.630	1.850	1.023
1.578	1.572	1.578	99825 ★	0.512	0.630	1.850	1.023
1.605	1.602	1.608	99160	0.500	0.641	1.938	1.000
1.614	1.608	1.614	99163	0.500	0.625	1.938	1.016
1.625	1.622	1.628	99161	0.313	0.438	1.875	1.016
1.625	1.622	1.628	99162	0.563	0.688	1.875	0.813
1.625	1.622	1.628	99826 ★	0.563	0.688	1.875	0.813
1.650	1.647	1.654	99166	0.445	0.571	2.087	0.846
1.650	1.647	1.654	99169	0.563	0.689	2.087	0.827
1.656	1.653	1.659	99165	0.550	0.689	2.087	0.827
1.688	1.684	1.690	99168	0.563	0.688	1.906	0.875
1.688	1.685	1.691	99167	0.313	0.438	1.906	0.875
1.693	1.687	1.693	99182	0.500	0.625	1.906	0.844
1.719	1.715	1.721	99171	0.563	0.688	2.031	0.813
1.739	1.736	1.742	99170	0.375	0.500	2.063	0.813
1.750	1.747	1.753	99172	0.375	0.500	2.055	0.813
1.750	1.747	1.753	99174	0.563	0.688	2.063	0.813
1.750	1.747	1.753	99175	0.750	0.875	2.063	0.813
1.750	1.747	1.753	99180	0.531	0.625	2.063	0.878
1.750	1.747	1.753	99827 ★	0.563	0.688	2.063	0.813
1.750	1.747	1.753	99828 ★	0.750	0.875	2.063	0.813
1.766	1.761	1.767	99176	0.563	0.688	2.063	0.813
1.766	1.761	1.767	99829 ★	0.563	0.688	2.063	0.813
1.772	1.769	1.775	99177	0.551	0.669	2.087	0.812
1.772	1.769	1.775	99830 ★	0.551	0.669	2.087	0.812
1.781	1.778	1.784	99179	0.667	0.800	2.125	1.062
1.813	1.809	1.815	99181	0.563	0.688	2.090	1.000
1.813	1.809	1.815	99831 ★	0.563	0.688	2.090	1.000
1.859	1.857	1.863	99185	0.563	0.688	2.156	1.000

★ Indicates Speedi-Sleeve Gold Product

SPEEDI-SLEEVE SIZE LISTING - INCHES (Continued)

Nominal Shaft Diameter	"A" Shaft Diameter Range		Stock Number	"X" Width On Shaft (Inches ±.031)	"Y" Overall Width (Inches ±.031)	"D" Flange Diameter (Inches ±.063)	"Z" Installation Depth
	Minimum Inches	Maximum Inches					
1.868	1.866	1.872	99186	0.889	1.025	2.188	1.000
1.875	1.872	1.878	99184	0.375	0.516	2.203	1.050
1.875	1.872	1.878	99187	0.563	0.688	2.203	1.000
1.875	1.872	1.878	99188	0.295	0.415	2.203	0.744
1.875	1.872	1.878	99190	0.175	0.295	2.203	0.744
1.875	1.872	1.878	99832 ★	0.563	0.688	2.203	1.000
1.891	1.887	1.893	99189	0.551	0.668	2.205	0.984
1.912	1.909	1.915	99192	0.375	0.500	2.219	1.000
1.938	1.934	1.940	99193	0.563	0.688	2.219	1.000
1.938	1.934	1.940	99833 ★	0.563	0.688	2.219	1.000
1.969	1.965	1.971	99196	0.551	0.668	2.244	0.984
1.980	1.977	1.983	99198	0.563	0.704	2.313	1.050
2.000	1.997	2.003	99199	0.563	0.688	2.406	1.000
2.000	1.997	2.003	99200	0.875	1.000	2.406	1.000
2.000	1.997	2.003	99834 ★	0.563	0.688	2.406	1.006
2.000	1.997	2.003	99835 ★	0.875	1.000	2.406	1.000
2.047	2.040	2.047	99204	0.500	0.625	2.469	1.359
2.063	2.057	2.063	99205	0.781	0.938	2.469	1.375
2.125	2.123	2.128	99210	0.500	0.750	2.422	1.281
2.125	2.124	2.130	99212	0.781	0.938	2.422	1.375
2.125	2.124	2.130	99836 ★	0.781	0.938	2.422	1.375
2.165	2.162	2.168	99863 ★	0.787	0.905	2.441	1.250
2.165	2.162	2.169	99215	0.787	0.905	2.441	1.250
2.188	2.186	2.192	99218	0.781	0.938	2.500	1.313
2.205	2.198	2.205	99224	0.500	0.625	2.531	1.313
2.205	2.198	2.205	99220	0.779	0.936	2.531	3.150
2.230	2.227	2.233	99229	0.500	0.625	2.531	1.313
2.230	2.227	2.233	99230	0.781	0.906	2.531	1.250
2.240	2.237	2.243	99226	0.764	0.900	2.563	1.250
2.250	2.249	2.255	99225	0.781	0.938	2.531	1.313
2.250	2.249	2.255	99227	0.313	0.438	2.531	1.313
2.250	2.249	2.255	99837 ★	0.781	0.938	2.531	1.313
2.250	2.249	2.255	99838 ★	0.313	0.438	2.531	1.313
2.283	2.280	2.286	99219	0.787	0.938	2.598	1.375
2.313	2.309	2.315	99231	0.781	0.938	2.688	1.375
2.328	2.327	2.333	99233	0.750	0.875	2.750	1.500
2.362	2.359	2.365	99235	0.787	0.905	2.785	1.375
2.362	2.359	2.365	99241	0.370	0.450	2.785	1.471
2.375	2.372	2.378	99238	0.594	0.750	2.750	1.375
2.375	2.374	2.380	99237	0.781	0.938	2.750	1.375
2.375	2.374	2.380	99240	0.526	0.683	2.750	1.375
2.375	2.374	2.380	99839 ★	0.781	0.938	2.750	1.375
2.438	2.434	2.440	99243	0.781	0.938	2.828	1.393
2.438	2.435	2.441	99242	0.500	0.625	2.828	1.425
2.441	2.434	2.441	99244	0.500	0.625	2.828	1.425
2.492	2.489	2.495	99249	0.781	0.938	2.875	1.393
2.500	2.497	2.503	99253	0.555	0.650	2.820	0.890
2.500	2.500	2.506	99248	0.500	0.656	2.828	1.393
2.500	2.500	2.506	99250	0.781	0.938	2.820	1.375
2.500	2.500	2.506	99840 ★	0.781	0.938	2.820	1.375
2.516	2.510	2.516	99251	0.781	0.906	2.828	1.438
2.559	2.556	2.562	99254	0.787	0.905	2.850	1.375
2.559	2.556	2.562	99841 ★	0.787	0.905	2.850	1.375
2.563	2.560	2.566	99256	0.781	0.938	2.891	1.375
2.598	2.595	2.601	99259	0.781	0.938	2.990	1.250
2.621	2.618	2.624	99261	0.781	0.938	3.047	1.375
2.625	2.621	2.627	99264	0.781	0.906	3.047	1.375

SPEEDI-SLEEVE SIZE LISTING - INCHES (Continued)

Nominal Shaft Diameter	"A" Shaft Diameter Range		Stock Number	"X" Width On Shaft (Inches ±.031)	"Y" Overall Width (Inches ±.031)	"D" Flange Diameter (Inches ±.063)	"Z" Installation Depth
	Minimum Inches	Maximum Inches					
2.625	2.622	2.628	99260	0.500	0.625	3.047	1.375
2.625	2.625	2.631	99262	0.781	0.938	3.047	1.375
2.625	2.625	2.631	99842 ★	0.781	0.938	3.047	1.375
2.677	2.670	2.677	99266	0.750	0.875	3.125	1.688
2.730	2.727	2.733	99268	0.781	0.906	3.125	1.313
2.743	2.740	2.746	99273	0.781	0.938	3.065	1.250
2.750	2.745	2.751	99274	0.781	0.938	3.125	1.250
2.750	2.745	2.751	99843 ★	0.781	0.938	3.125	1.250
2.750	2.747	2.753	99267	1.438	1.625	3.075	1.625
2.750	2.750	2.756	99269	1.125	1.250	3.125	1.312
2.750	2.750	2.756	99272	0.406	0.563	3.125	1.250
2.750	2.750	2.756	99275	0.781	0.938	3.125	1.250
2.750	2.750	2.756	99844 ★	0.781	0.938	3.125	1.250
2.756	2.753	2.759	99276	0.787	0.945	3.125	1.250
2.813	2.809	2.815	99281	0.594	0.688	3.188	1.250
2.835	2.828	2.835	99284	0.750	0.875	3.225	1.343
2.838	2.838	2.844	99282	0.500	0.656	3.225	1.250
2.838	2.838	2.844	99845 ★	0.500	0.656	3.225	1.250
2.869	2.866	2.872	99286	0.781	0.938	3.188	1.250
2.875	2.873	2.879	99287	0.781	0.938	3.219	1.250
2.875	2.873	2.879	99846 ★	0.781	0.938	3.219	1.250
2.938	2.937	2.943	99290	0.500	0.641	3.344	1.331
2.938	2.937	2.943	99293	0.781	0.938	3.344	1.313
2.938	2.937	2.943	99847 ★	0.781	0.938	3.344	1.313
2.953	2.950	2.956	99289	0.594	0.690	3.273	1.083
2.953	2.950	2.956	99294	0.866	1.024	3.305	1.313
2.974	2.972	2.976	99292	0.813	1.000	3.235	1.250
2.993	2.990	2.996	99291	0.484	0.625	3.359	1.331
2.993	2.990	2.996	99298	0.563	0.688	3.359	1.375
2.993	2.990	2.996	99299	0.813	1.000	3.350	1.281
3.000	2.997	3.003	99296	0.813	0.938	3.240	1.375
3.000	3.000	3.006	99300	0.813	1.000	3.235	1.281
3.000	3.000	3.006	99303	0.625	0.813	3.345	1.280
3.000	3.000	3.006	99848 ★	0.813	1.000	3.235	1.281
3.011	3.008	3.014	99301	0.500	0.625	3.355	2.000
3.071	3.064	3.071	99306	0.750	0.875	3.468	2.056
3.125	3.120	3.126	99311	0.688	0.813	3.531	2.000
3.125	3.120	3.126	99312	0.813	1.000	3.531	2.000
3.125	3.120	3.126	99849 ★	0.813	1.000	3.531	2.000
3.125	3.124	3.132	99307	0.551	0.709	3.525	2.031
3.150	3.142	3.150	99313	0.750	0.886	3.540	1.375
3.150	3.146	3.153	99315	0.827	0.945	3.543	1.375
3.150	3.146	3.153	99317	0.433	0.591	3.543	1.375
3.228	3.225	3.231	99328	0.660	0.848	3.585	1.750
3.250	3.247	3.253	99322	0.813	1.000	3.594	1.375
3.250	3.250	3.256	99324	0.595	0.719	3.575	1.375
3.250	3.250	3.256	99325	0.813	1.000	3.585	1.375
3.250	3.250	3.256	99326	0.688	0.875	3.585	1.250
3.250	3.250	3.256	99850 ★	0.595	0.719	3.575	1.375
3.250	3.250	3.256	99851 ★	0.813	1.000	3.585	1.375
3.310	3.307	3.313	99331	0.813	1.000	3.688	1.375
3.342	3.337	3.347	99332	0.669	0.827	3.700	1.378
3.342	3.337	3.347	99333	0.827	0.984	3.700	1.378
3.346	3.338	3.346	99334	0.399	0.499	3.580	1.431
3.375	3.373	3.379	99337	0.813	1.000	3.695	1.375
3.375	3.373	3.379	99338	0.375	0.500	3.688	1.410
3.438	3.435	3.441	99339	0.781	0.906	3.844	1.406

★ Indicates Speedi-Sleeve Gold Product

SPEEDI-SLEEVE SIZE LISTING - INCHES (Continued)

Nominal Shaft Diameter	"A" Shaft Diameter Range		Stock Number	"X" Width On Shaft (Inches ±.031)	"Y" Overall Width (Inches ±.031)	"D" Flange Diameter (Inches ±.063)	"Z" Installation Depth
	Minimum Inches	Maximum Inches					
3.480	3.477	3.483	99340	0.781	0.906	3.835	1.406
3.500	3.497	3.503	99346	0.625	0.813	3.844	1.347
3.500	3.500	3.506	99347	0.313	0.500	3.825	1.347
3.500	3.500	3.506	99350	0.813	1.000	3.844	1.347
3.500	3.500	3.506	99852 ★	0.813	1.000	3.844	1.347
3.504	3.501	3.507	99349	0.625	0.813	3.844	1.348
3.543	3.540	3.546	99351	0.710	0.906	4.000	1.813
3.543	3.540	3.546	99352	0.438	0.538	4.000	1.813
3.543	3.540	3.546	99353	0.526	0.667	4.000	1.750
3.543	3.540	3.546	99354	0.906	1.102	4.000	1.750
3.563	3.560	3.566	99356	0.813	1.000	3.900	1.750
3.621	3.618	3.624	99360	0.813	1.000	4.031	1.750
3.625	3.623	3.629	99362	0.813	1.000	4.031	1.750
3.625	3.623	3.629	99363	0.500	0.625	4.025	1.750
3.688	3.684	3.690	99368	0.313	0.438	4.031	0.875
3.688	3.685	3.691	99365	0.813	0.938	4.025	1.800
3.730	3.727	3.733	99359	0.469	0.594	4.016	1.800
3.730	3.727	3.733	99366	0.781	0.906	4.025	1.800
3.740	3.737	3.743	99369	0.827	0.945	4.025	1.800
3.743	3.740	3.746	99364	0.469	0.594	4.035	1.800
3.743	3.740	3.746	99374	0.344	0.500	4.031	1.800
3.749	3.746	3.752	99376	0.563	0.688	4.025	1.800
3.750	3.750	3.756	99853 ★	0.688	0.875	4.020	1.800
3.753	3.750	3.756	99367	0.344	0.500	4.025	1.800
3.753	3.750	3.756	99372	0.688	0.875	4.020	1.800
3.871	3.868	3.874	99386	0.813	1.000	4.185	1.875
3.875	3.873	3.879	99387	0.813	1.000	4.219	1.875
3.938	3.935	3.941	99393	0.813	1.000	4.313	2.050
3.938	3.935	3.941	99854 ★	0.813	1.000	4.313	2.050
4.000	3.998	4.006	99395	0.600	0.725	4.375	2.050
4.000	3.998	4.006	99399	0.813	1.000	4.375	2.050
4.000	3.998	4.006	99400	0.650	0.775	4.375	1.375
4.000	3.998	4.006	99401	0.500	0.625	4.375	2.066
4.000	3.998	4.006	99855 ★	0.813	1.000	4.375	2.050
4.094	4.090	4.098	99409	0.787	0.945	4.438	1.417
4.125	4.122	4.130	99412	0.813	1.000	4.470	1.375
4.134	4.130	4.138	99413	0.787	0.913	4.470	1.378
4.188	4.183	4.191	99418	0.813	1.000	4.500	1.375
4.234	4.226	4.234	99423	0.781	0.906	4.610	1.438
4.250	4.248	4.256	99424	0.813	1.000	4.610	1.438
4.328	4.327	4.335	99435	0.509	0.650	4.921	1.250
4.331	4.322	4.331	99434	0.448	0.589	4.921	1.297
4.375	4.370	4.378	99437	0.813	1.000	4.750	1.650
4.409	4.401	4.409	99438	0.750	0.886	4.750	1.300
4.438	4.434	4.442	99439	1.000	1.142	4.813	1.313
4.500	4.496	4.504	99450	0.813	1.000	4.850	1.250
4.500	4.496	4.504	99856 ★	0.813	1.000	4.900	1.250
4.528	4.523	4.531	99452	0.813	0.938	5.000	1.250
4.625	4.621	4.629	99463	1.000	1.250	5.063	1.375
4.625	4.621	4.629	99465	0.438	0.625	5.000	1.375
4.688	4.685	4.693	99468	0.813	1.000	5.063	1.375
4.724	4.720	4.728	99471	0.315	0.433	5.110	1.323
4.724	4.720	4.728	99473	0.787	0.984	5.110	1.260
4.750	4.746	4.754	99475	0.500	0.750	5.000	1.500
4.803	4.799	4.807	99472	0.787	0.945	5.177	1.260
4.843	4.839	4.847	99484	0.787	0.984	5.229	1.244
4.875	4.871	4.879	99487	0.625	0.750	5.250	1.438

SPEEDI-SLEEVE SIZE LISTING - INCHES (Continued)

Nominal Shaft Diameter	"A" Shaft Diameter Range		Stock Number	"X" Width On Shaft (Inches ±.031)	"Y" Overall Width (Inches ±.031)	"D" Flange Diameter (Inches ±.063)	"Z" Installation Depth
	Minimum Inches	Maximum Inches					
4.921	4.917	4.925	99490	0.394	0.551	5.400	1.438
4.921	4.917	4.925	99492	1.024	1.260	5.400	1.438
5.000	4.998	5.006	99498	0.688	0.875	5.400	1.438
5.000	4.998	5.006	99499	0.813	1.000	5.390	1.438
5.000	4.998	5.006	99501	0.540	0.681	5.400	1.438
5.000	4.998	5.006	99857 ★	0.688	0.875	5.400	1.438
5.000	4.998	5.006	99858 ★	0.813	1.000	5.390	1.438
5.114	5.110	5.118	99494	0.750	0.938	5.493	1.181
5.125	5.117	5.125	99491	0.866	0.996	5.493	1.280
5.125	5.120	5.128	99513	0.813	1.000	5.500	1.250
5.250	5.246	5.254	99525	0.813	1.000	5.560	1.250
5.311	5.307	5.315	99533	0.807	1.000	5.735	1.250
5.375	5.371	5.379	99537	0.813	1.000	5.875	1.250
5.438	5.434	5.442	99548	1.500	1.688	5.750	1.875
5.476	5.472	5.480	99547	0.563	0.750	5.900	1.234
5.500	5.498	5.506	99549	0.813	1.000	5.938	1.250
5.500	5.498	5.506	99550	0.518	0.705	5.938	1.250
5.500	5.498	5.506	99859 ★	0.813	1.000	5.938	1.250
5.512	5.508	5.516	99552	0.807	1.000	5.945	1.250
5.625	5.621	5.629	99560	0.875	1.000	6.188	1.812
5.709	5.699	5.709	99571	0.750	0.875	6.100	1.812
5.734	5.726	5.734	99562	0.563	0.750	6.100	1.938
5.750	5.746	5.754	99575	0.813	1.000	6.180	1.750
5.875	5.871	5.879	99587	1.000	1.250	6.188	1.313
5.875	5.871	5.879	99862 ★	1.000	1.250	6.188	1.313
5.905	5.896	5.906	99595	1.024	1.181	6.260	1.280
5.938	5.934	5.942	99596	1.000	1.125	6.375	1.875
6.000	5.995	6.003	99599	1.000	1.250	6.375	1.750
6.000	5.995	6.003	99601	0.500	0.750	6.360	1.750
6.063	6.058	6.068	99605	1.024	1.181	6.375	1.299
6.097	6.092	6.102	99606	1.024	1.181	6.575	1.299
6.203	6.198	6.208	99620	0.813	1.063	6.625	1.750
6.250	6.245	6.255	99625	1.031	1.250	6.625	1.750
6.299	6.289	6.299	99630	1.000	1.250	6.750	1.375
6.500	6.495	6.505	99650	1.000	1.250	7.000	1.375
6.688	6.683	6.693	99640	1.250	1.496	7.188	1.750
6.750	6.745	6.755	99675	0.813	1.063	7.125	1.750
6.890	6.880	6.890	99687	1.102	1.260	7.362	1.378
7.000	6.995	7.005	99700	1.000	1.250	7.475	1.688
7.087	7.077	7.087	99721	1.299	1.496	7.500	1.752
7.250	7.244	7.254	99725	1.250	1.500	7.760	2.175
7.278	7.273	7.283	99726	1.260	1.496	7.760	2.165
7.453	7.444	7.454	99745	0.813	1.000	7.860	1.250
7.500	7.495	7.505	99750	0.813	1.000	7.875	1.250
7.750	7.745	7.755	99775	1.000	1.313	8.270	1.875
7.875	7.869	7.879	99787	1.359	1.500	8.375	1.750
7.938	7.933	7.943	99799	1.000	1.250	8.375	1.750
8.000	7.995	8.005	99800	1.000	1.250	8.375	1.750

★ Indicates Speedi-Sleeve Gold Product

SPEEDI-SLEEVE SIZE LISTING - METRIC

Shaft Diameter	"A" Shaft Diameter Range		Stock Number	"X" Width On Shaft ±0.8 MM	"Y" Overall Width ±0.8 MM	"D" Flange Diameter ±1.6 MM	"Z" Installation Depth MM
	Minimum MM	Maximum MM					
12.00	11.91	12.07	99049	5.99	8.41	15.49	47.63
12.70	12.65	12.75	99050	6.35	8.74	15.49	50.80
14.00	13.89	14.00	99055	6.35	9.93	19.05	46.51
14.30	14.22	14.38	99056	6.35	9.93	19.05	46.51
15.01	14.96	15.06	99059	5.00	8.99	19.05	47.29
15.88	15.82	15.93	99062	7.95	10.31	19.05	50.80
15.88	15.82	15.93	99810 ★	7.95	10.31	19.05	50.80
16.00	15.90	16.00	99058	7.95	11.13	18.24	50.80
17.00	16.94	17.04	99068	8.00	11.00	22.22	50.80
17.37	17.32	17.42	99060	7.95	11.13	22.86	50.80
18.01	17.88	18.01	99082	8.00	11.00	24.43	46.00
19.05	19.00	19.10	99076	7.95	11.13	24.00	50.80
19.05	19.00	19.10	99811 ★	7.95	11.13	24.00	50.80
19.30	19.28	19.33	99081	7.95	11.13	23.83	50.80
19.84	19.81	19.91	99080	7.95	11.13	23.75	50.80
20.00	19.94	20.04	99078	8.00	11.00	23.62	50.80
21.82	21.77	21.87	99086	6.35	9.52	29.34	50.80
22.00	21.87	22.00	99084	6.58	9.12	30.18	47.14
22.00	21.87	22.00	99085	8.00	11.99	30.18	46.02
22.22	22.17	22.28	99087	7.95	11.13	27.79	50.80
22.22	22.17	22.28	99812 ★	7.95	11.13	27.79	50.80
23.11	23.06	23.16	99091	7.95	11.13	30.94	46.91
23.11	23.06	23.16	99860 ★	7.95	11.13	30.94	46.91
24.00	23.88	24.00	99092	7.95	11.13	28.70	50.80
24.61	24.54	24.64	99094	7.95	11.13	28.70	50.80
24.61	24.54	24.64	99096	15.88	18.26	28.70	50.80
25.00	24.94	25.04	99098	7.95	11.00	33.02	50.80
25.00	24.94	25.04	99813 ★	7.95	11.00	33.02	50.80
25.40	25.35	25.45	99100	7.95	11.13	30.96	50.80
25.40	25.35	25.45	99814 ★	7.95	11.13	30.96	50.80
26.01	25.88	26.01	99103	8.00	11.99	33.35	46.05
27.00	26.92	27.03	99106	7.95	11.13	33.53	46.81
27.00	26.92	27.03	99815 ★	7.95	11.13	33.53	46.81
27.66	27.61	27.71	99108	7.95	11.13	35.71	15.88
28.00	27.94	28.04	99111	9.52	12.70	34.92	46.81
28.00	27.94	28.04	99866 ★	9.52	12.70	34.92	46.81
28.57	28.52	28.63	99112	7.95	11.13	38.10	17.48
28.57	28.52	28.63	99116	9.52	12.70	38.10	17.48
28.57	28.52	28.63	99816 ★	7.95	11.13	38.10	17.48
29.36	29.31	29.41	99120	9.52	12.70	34.29	17.48
29.84	29.79	29.92	99122	7.95	11.13	35.56	17.48
30.00	29.95	30.07	99114	8.00	11.00	35.56	17.48
30.18	30.10	30.23	99118	7.95	11.13	35.56	17.48
30.96	30.89	31.04	99123	7.95	11.00	39.70	15.88
31.50	31.42	31.57	99141	8.00	11.13	39.12	17.48
31.75	31.67	31.83	99125	7.95	11.13	38.10	17.48
31.75	31.67	31.83	99817 ★	7.95	11.13	38.10	17.48
32.00	31.93	32.08	99128	8.00	11.13	38.10	17.48
33.00	32.94	33.05	99121	15.01	18.01	40.49	25.40
33.35	33.22	33.38	99129	6.35	9.52	40.64	20.65
33.35	33.27	33.43	99131	12.70	15.88	40.49	20.65
33.35	33.27	33.43	99818 ★	12.70	15.88	40.49	20.65
34.01	33.86	34.01	99134	12.70	15.88	41.27	20.65
34.92	34.82	34.98	99133	7.95	11.13	41.61	20.65
34.92	34.82	34.98	99138	12.70	15.88	41.61	20.65
34.92	34.82	34.98	99819 ★	12.70	15.88	41.61	20.65
34.92	34.92	35.08	99139	13.00	16.00	41.61	20.65

SPEEDI-SLEEVE SIZE LISTING - METRIC (Continued)

Shaft Diameter	"A" Shaft Diameter Range		Stock Number	"X" Width On Shaft ±0.8 MM	"Y" Overall Width ±0.8 MM	"D" Flange Diameter ±1.6 MM	"Z" Installation Depth MM
	Minimum MM	Maximum MM					
34.92	34.92	35.08	99820 ★	13.00	16.00	41.61	20.65
36.00	35.84	35.99	99146	13.00	16.99	45.24	24.99
36.53	36.37	36.53	99143	14.30	17.48	45.24	25.81
36.53	36.37	36.53	99821 ★	14.30	17.48	45.24	25.81
36.53	36.45	36.60	99144	9.52	12.70	45.24	25.81
38.00	37.85	38.00	99147	13.00	16.99	45.24	24.99
38.10	38.02	38.18	99149	14.30	17.48	45.24	25.81
38.10	38.02	38.18	99150	9.52	12.70	45.24	25.81
38.10	38.02	38.18	99822 ★	14.30	17.48	45.24	25.81
38.10	38.02	38.18	99823 ★	9.52	12.70	45.24	25.81
38.68	38.61	38.76	99152	11.13	14.30	47.22	25.81
39.42	39.34	39.50	99155	11.13	14.30	47.22	25.81
39.70	39.60	39.75	99156	14.30	17.48	47.22	25.81
39.70	39.60	39.75	99824 ★	14.30	17.48	47.22	25.81
39.85	39.78	39.93	99159	15.88	19.05	47.22	25.81
40.00	39.85	40.00	99153	9.91	12.93	46.99	25.40
40.08	39.93	40.08	99157	13.00	16.00	46.99	25.98
40.08	39.93	40.08	99825 ★	13.00	16.00	46.99	25.98
40.77	40.69	40.84	99160	12.70	16.28	49.23	25.40
41.00	40.84	41.00	99163	12.70	15.88	49.23	25.81
41.27	41.20	41.35	99161	7.95	11.13	47.63	25.81
41.27	41.20	41.35	99162	14.30	17.48	47.63	20.65
41.27	41.20	41.35	99826 ★	14.30	17.48	47.63	20.65
41.91	41.83	42.01	99166	11.30	14.50	53.01	21.49
41.91	41.83	42.01	99169	14.30	17.50	53.01	21.01
42.06	41.99	42.14	99165	13.97	17.50	53.01	21.01
42.88	42.77	42.93	99168	14.30	17.48	48.41	22.22
42.88	42.80	42.95	99167	7.95	11.13	48.41	22.22
43.00	42.85	43.00	99182	12.70	15.88	48.41	21.44
43.66	43.56	43.71	99171	14.30	17.48	51.59	20.65
44.17	44.09	44.25	99170	9.52	12.70	52.40	20.65
44.45	44.37	44.53	99172	9.52	12.70	52.20	20.65
44.45	44.37	44.53	99174	14.30	17.48	52.40	20.65
44.45	44.37	44.53	99175	19.05	22.22	52.40	20.65
44.45	44.37	44.53	99180	13.49	15.88	52.40	22.30
44.45	44.37	44.53	99827 ★	14.30	17.48	52.40	20.65
44.45	44.37	44.53	99828 ★	19.05	22.22	52.40	20.65
44.86	44.73	44.88	99176	14.30	17.48	52.40	20.65
44.86	44.73	44.88	99829 ★	14.30	17.48	52.40	20.65
45.01	44.93	45.08	99177	14.00	16.99	53.01	20.62
45.01	44.93	45.08	99830 ★	14.00	16.99	53.01	20.62
45.24	45.16	45.31	99179	16.94	20.32	53.97	26.97
46.05	45.95	46.10	99181	14.30	17.48	53.09	25.40
46.05	45.95	46.10	99831 ★	14.30	17.48	53.09	25.40
47.22	47.17	47.32	99185	14.30	17.48	54.76	25.40
47.45	47.40	47.55	99186	22.58	26.03	55.58	25.40
47.63	47.55	47.70	99184	9.52	13.11	55.96	26.67
47.63	47.55	47.70	99187	14.30	17.48	55.96	25.40
47.63	47.55	47.70	99188	7.49	10.54	55.96	18.90
47.63	47.55	47.70	99190	4.44	7.49	55.96	18.90
47.63	47.55	47.70	99832 ★	14.30	17.48	55.96	25.40
48.03	47.93	48.08	99189	14.00	16.97	56.01	24.99
48.56	48.49	48.64	99192	9.52	12.70	56.36	25.40
49.23	49.12	49.28	99193	14.30	17.48	56.36	25.40
49.23	49.12	49.28	99833 ★	14.30	17.48	56.36	25.40
50.01	49.91	50.06	99196	14.00	16.97	57.00	24.99
50.29	50.22	50.37	99198	14.30	17.88	58.75	26.67

★ Indicates Speedi-Sleeve Gold Product

SPEEDI-SLEEVE SIZE LISTING - METRIC (Continued)

Shaft Diameter	"A" Shaft Diameter Range		Stock Number	"X" Width On Shaft ±0.8 MM	"Y" Overall Width ±0.8 MM	"D" Flange Diameter ±1.6 MM	"Z" Installation Depth MM
	Minimum MM	Maximum MM					
50.80	50.72	50.88	99199	14.30	17.48	61.11	25.40
50.80	50.72	50.88	99200	22.22	25.40	61.11	25.40
50.80	50.72	50.88	99834 ★	14.30	17.48	61.11	25.55
50.80	50.72	50.88	99835 ★	22.22	25.40	61.11	25.40
52.00	51.82	51.99	99204	12.70	15.88	62.71	34.52
52.40	52.25	52.40	99205	19.84	23.83	62.71	34.92
53.97	53.92	54.05	99210	12.70	19.05	61.52	32.54
53.97	53.95	54.10	99212	19.84	23.83	61.52	34.92
53.97	53.95	54.10	99836 ★	19.84	23.83	61.52	34.92
54.99	54.91	55.09	99863 ★	19.99	22.99	62.00	31.75
55.00	54.91	55.07	99215	19.99	22.99	62.00	31.75
55.58	55.52	55.68	99218	19.84	23.83	63.50	33.35
56.01	55.83	56.01	99224	19.79	23.77	64.29	80.01
56.01	55.83	56.01	99220	12.70	15.88	64.29	33.35
56.64	56.57	56.72	99229	12.70	15.88	64.29	33.35
56.64	56.57	56.72	99230	19.84	23.01	64.29	31.75
56.90	56.82	56.97	99226	19.41	22.86	65.10	31.75
57.15	57.12	57.28	99225	19.84	23.83	64.29	33.35
57.15	57.12	57.28	99227	7.95	11.13	64.29	33.35
57.15	57.12	57.28	99837 ★	19.84	23.83	64.29	33.35
57.15	57.12	57.28	99838 ★	7.95	11.13	64.29	33.35
58.00	57.91	58.06	99219	19.99	23.83	65.99	34.92
58.75	58.65	58.80	99231	19.84	23.83	68.28	34.92
59.13	59.11	59.26	99233	19.05	22.22	69.85	38.10
60.00	59.92	60.07	99235	19.99	22.99	70.74	34.92
60.00	59.92	60.07	99241	9.40	11.43	70.74	37.36
60.32	60.25	60.40	99238	15.09	19.05	69.85	34.92
60.32	60.30	60.45	99237	19.84	23.83	69.85	34.92
60.32	60.30	60.45	99240	13.36	17.35	69.85	34.92
60.32	60.30	60.45	99839 ★	19.84	23.83	69.85	34.92
61.93	61.82	61.98	99243	19.84	23.83	71.83	35.38
61.93	61.85	62.00	99242	12.70	15.88	71.83	36.20
62.00	61.82	62.00	99244	12.70	15.88	71.83	36.20
63.30	63.22	63.37	99249	19.84	23.83	73.02	35.38
63.50	63.42	63.58	99253	14.10	16.51	71.63	22.61
63.50	63.50	63.65	99248	12.70	16.66	71.83	35.38
63.50	63.50	63.65	99250	19.84	23.83	71.63	34.92
63.50	63.50	63.65	99840 ★	19.84	23.83	71.63	34.92
63.91	63.75	63.91	99251	19.84	23.01	71.83	36.53
65.00	64.92	65.07	99254	19.99	22.99	72.39	34.92
65.00	64.92	65.07	99841 ★	19.99	22.99	72.39	34.92
65.10	65.02	65.18	99256	19.84	23.83	73.43	34.92
66.00	65.91	66.07	99259	19.84	23.83	75.95	31.75
66.57	66.50	66.65	99261	19.84	23.83	77.39	34.92
66.67	66.57	66.73	99264	19.84	23.01	77.39	34.92
66.67	66.60	66.75	99260	12.70	15.88	77.39	34.92
66.67	66.67	66.83	99262	19.84	23.83	77.39	34.92
66.67	66.67	66.83	99842 ★	19.84	23.83	77.39	34.92
68.00	67.82	68.00	99266	19.05	22.22	79.38	42.88
69.34	69.27	69.42	99268	19.84	23.01	79.38	33.35
69.67	69.60	69.75	99273	19.84	23.83	77.85	31.75
69.85	69.72	69.88	99274	19.84	23.83	79.38	31.75
69.85	69.72	69.88	99843 ★	19.84	23.83	79.38	31.75
69.85	69.77	69.93	99267	36.53	41.27	78.11	41.27
69.85	69.85	70.00	99269	28.57	31.75	79.38	33.32
69.85	69.85	70.00	99272	10.31	14.30	79.38	31.75
69.85	69.85	70.00	99275	19.84	23.83	79.38	31.75

SPEEDI-SLEEVE SIZE LISTING - METRIC (Continued)

Shaft Diameter	"A" Shaft Diameter Range		Stock Number	"X" Width On Shaft ±0.8 MM	"Y" Overall Width ±0.8 MM	"D" Flange Diameter ±1.6 MM	"Z" Installation Depth MM
	Minimum MM	Maximum MM					
69.85	69.85	70.00	99844 ★	19.84	23.83	79.38	31.75
70.00	69.93	70.08	99276	19.99	24.00	79.38	31.75
71.45	71.35	71.50	99281	15.09	17.48	80.98	31.75
72.01	71.83	72.01	99284	19.05	22.22	81.91	34.11
72.09	72.09	72.24	99282	12.70	16.66	81.91	31.75
72.09	72.09	72.24	99845 ★	12.70	16.66	81.91	31.75
72.87	72.80	72.95	99286	19.84	23.83	80.98	31.75
73.02	72.97	73.13	99287	19.84	23.83	81.76	31.75
73.02	72.97	73.13	99846 ★	19.84	23.83	81.76	31.75
74.63	74.60	74.75	99290	12.70	16.28	84.94	33.81
74.63	74.60	74.75	99293	19.84	23.83	84.94	33.35
74.63	74.60	74.75	99847 ★	19.84	23.83	84.94	33.35
75.01	74.93	75.08	99289	15.09	17.53	83.13	27.51
75.01	74.93	75.08	99294	22.00	26.01	83.95	33.35
75.54	75.49	75.59	99292	20.65	25.40	82.17	31.75
76.02	75.95	76.10	99291	12.29	15.88	85.32	33.81
76.02	75.95	76.10	99298	14.30	17.48	85.32	34.92
76.02	75.95	76.10	99299	20.65	25.40	85.09	32.54
76.20	76.12	76.28	99296	20.65	23.83	82.30	34.92
76.20	76.20	76.35	99300	20.65	25.40	82.17	32.54
76.20	76.20	76.35	99303	15.88	20.65	84.96	32.51
76.20	76.20	76.35	99848 ★	20.65	25.40	82.17	32.54
76.48	76.40	76.56	99301	12.70	15.88	85.22	50.80
78.00	77.83	78.00	99306	19.05	22.22	88.09	52.22
79.38	79.25	79.40	99311	17.48	20.65	89.69	50.80
79.38	79.25	79.40	99312	20.65	25.40	89.69	50.80
79.38	79.25	79.40	99849 ★	20.65	25.40	89.69	50.80
79.38	79.35	79.55	99307	14.00	18.01	89.53	51.59
80.01	79.81	80.01	99313	19.05	22.50	89.92	34.92
80.01	79.91	80.09	99315	21.01	24.00	89.99	34.92
80.01	79.91	80.09	99317	11.00	15.01	89.99	34.92
81.99	81.91	82.07	99328	16.76	21.54	91.06	44.45
82.55	82.47	82.63	99322	20.65	25.40	91.29	34.92
82.55	82.55	82.70	99324	15.11	18.26	90.80	34.92
82.55	82.55	82.70	99325	20.65	25.40	91.06	34.92
82.55	82.55	82.70	99326	17.48	22.22	91.06	31.75
82.55	82.55	82.70	99850 ★	15.11	18.26	90.80	34.92
82.55	82.55	82.70	99851 ★	20.65	25.40	91.06	34.92
84.07	84.00	84.15	99331	20.65	25.40	93.68	34.92
84.89	84.76	85.01	99332	16.99	21.01	93.98	35.00
84.89	84.76	85.01	99333	21.01	24.99	93.98	35.00
85.00	84.79	84.99	99334	10.13	12.67	90.93	36.35
85.72	85.67	85.83	99337	20.65	25.40	93.85	34.92
85.72	85.67	85.83	99338	9.52	12.70	93.68	35.81
87.33	87.25	87.40	99339	19.84	23.01	97.64	35.71
88.39	88.32	88.47	99340	19.84	23.01	97.41	35.71
88.90	88.82	88.98	99346	15.88	20.65	97.64	34.21
88.90	88.90	89.05	99347	7.95	12.70	97.16	34.21
88.90	88.90	89.05	99350	20.65	25.40	97.64	34.21
88.90	88.90	89.05	99852 ★	20.65	25.40	97.64	34.21
89.00	88.93	89.08	99349	15.88	20.65	97.64	34.24
90.00	89.92	90.07	99351	18.03	23.01	101.60	46.05
90.00	89.92	90.07	99352	11.13	13.67	101.60	46.05
90.00	89.92	90.07	99353	13.36	16.94	101.60	44.45
90.00	89.92	90.07	99354	23.01	27.99	101.60	44.45
90.50	90.42	90.58	99356	20.65	25.40	99.06	44.45
91.97	91.90	92.05	99360	20.65	25.40	102.39	44.45

★ Indicates Speedi-Sleeve Gold Product

SPEEDI-SLEEVE SIZE LISTING - METRIC (Continued)

Shaft Diameter	"A" Shaft Diameter Range		Stock Number	"X" Width On Shaft	"Y" Overall Width	"D" Flange Diameter	"Z" Installation Depth
	Minimum MM	Maximum MM		±0.8 MM	±0.8 MM	±1.6 MM	MM
92.07	92.02	92.18	99362	20.65	25.40	102.39	44.45
92.07	92.02	92.18	99363	12.70	15.88	102.24	44.45
93.68	93.57	93.73	99368	7.95	11.13	102.39	22.22
93.68	93.60	93.75	99365	20.65	23.83	102.24	45.72
94.74	94.67	94.82	99359	11.91	15.09	102.01	45.72
94.74	94.67	94.82	99366	19.84	23.01	102.24	45.72
95.00	94.92	95.07	99369	21.01	24.00	102.24	45.72
95.07	95.00	95.15	99364	11.91	15.09	102.49	45.72
95.07	95.00	95.15	99374	8.74	12.70	102.39	45.72
95.22	95.15	95.30	99376	14.30	17.48	102.24	45.72
95.25	95.25	95.40	99853 ★	17.48	22.22	102.11	45.72
95.33	95.25	95.40	99367	8.74	12.70	102.24	45.72
95.33	95.25	95.40	99372	17.48	22.22	102.11	45.72
98.32	98.25	98.40	99386	20.65	25.40	106.30	47.63
98.42	98.37	98.53	99387	20.65	25.40	107.16	47.63
100.03	99.95	100.10	99393	20.65	25.40	109.55	52.07
100.03	99.95	100.10	99854 ★	20.65	25.40	109.55	52.07
101.60	101.55	101.75	99395	15.24	18.41	111.13	52.07
101.60	101.55	101.75	99399	20.65	25.40	111.13	52.07
101.60	101.55	101.75	99400	16.51	19.68	111.13	34.92
101.60	101.55	101.75	99401	12.70	15.88	111.13	52.48
101.60	101.55	101.75	99855 ★	20.65	25.40	111.13	52.07
104.00	103.89	104.09	99409	19.99	24.00	112.73	35.99
104.77	104.70	104.90	99412	20.65	25.40	113.54	34.92
105.00	104.90	105.11	99413	19.99	23.19	113.54	35.00
106.38	106.25	106.45	99418	20.65	25.40	114.30	34.92
107.54	107.34	107.54	99423	19.84	23.01	117.09	36.53
107.95	107.90	108.10	99424	20.65	25.40	117.09	36.53
109.93	109.91	110.11	99435	12.93	16.51	124.99	31.75
110.01	109.78	110.01	99434	11.38	14.96	124.99	32.94
111.13	111.00	111.20	99437	20.65	25.40	120.65	41.91
112.00	111.79	111.99	99438	19.05	22.50	120.65	33.02
112.73	112.62	112.83	99439	25.40	29.01	122.25	33.35
114.30	114.20	114.40	99450	20.65	25.40	123.19	31.75
114.30	114.20	114.40	99856 ★	20.65	25.40	124.46	31.75
115.01	114.88	115.09	99452	20.65	23.83	127.00	31.75
117.47	117.37	117.58	99463	25.40	31.75	128.60	34.92
117.47	117.37	117.58	99465	11.13	15.88	127.00	34.92
119.08	119.00	119.20	99468	20.65	25.40	128.60	34.92
120.00	119.89	120.09	99471	8.00	11.00	129.79	33.60
120.00	119.89	120.09	99473	19.99	24.99	129.79	32.00
120.65	120.55	120.75	99475	12.70	19.05	127.00	38.10
122.00	121.89	122.10	99472	19.99	24.00	131.50	32.00
123.01	122.91	123.11	99484	19.99	24.99	132.82	31.60
123.82	123.72	123.93	99487	15.88	19.05	133.35	36.53
125.00	124.89	125.09	99490	10.01	14.00	137.16	36.53
125.00	124.89	125.09	99492	26.01	32.00	137.16	36.53
127.00	126.95	127.15	99498	17.48	22.22	137.16	36.53
127.00	126.95	127.15	99499	20.65	25.40	136.91	36.53
127.00	126.95	127.15	99501	13.72	17.30	137.16	36.53
127.00	126.95	127.15	99857 ★	17.48	22.22	137.16	36.53
127.00	126.95	127.15	99858 ★	20.65	25.40	136.91	36.53
129.90	129.79	130.00	99494	19.05	23.83	139.52	30.00
130.17	129.97	130.17	99491	22.00	25.30	139.52	32.51
130.17	130.05	130.25	99513	20.65	25.40	139.70	31.75
133.35	133.25	133.45	99525	20.65	25.40	141.22	31.75
134.90	134.80	135.00	99533	20.50	25.40	145.67	31.75

SPEEDI-SLEEVE SIZE LISTING - METRIC (Continued)

Shaft Diameter	"A" Shaft Diameter Range		Stock Number	"X" Width On Shaft ±0.8 MM	"Y" Overall Width ±0.8 MM	"D" Flange Diameter ±1.6 MM	"Z" Installation Depth MM
	Minimum MM	Maximum MM					
136.53	136.42	136.63	99537	20.65	25.40	149.22	31.75
138.13	138.02	138.23	99548	38.10	42.88	146.05	47.63
139.09	138.99	139.19	99547	14.30	19.05	149.86	31.34
139.70	139.65	139.85	99549	20.65	25.40	150.83	31.75
139.70	139.65	139.85	99550	13.16	17.91	150.83	31.75
139.70	139.65	139.85	99859 ★	20.65	25.40	150.83	31.75
140.00	139.90	140.11	99552	20.50	25.40	151.00	31.75
142.88	142.77	142.98	99560	22.22	25.40	157.18	46.02
145.01	144.75	145.01	99571	19.05	22.22	154.94	46.02
145.64	145.44	145.64	99562	14.30	19.05	154.94	49.23
146.05	145.95	146.15	99575	20.65	25.40	156.97	44.45
149.22	149.12	149.33	99587	25.40	31.75	157.18	33.35
149.22	149.12	149.33	99862 ★	25.40	31.75	157.18	33.35
149.99	149.76	150.01	99595	26.01	30.00	159.00	32.51
150.83	150.72	150.93	99596	25.40	28.57	161.92	47.63
152.40	152.27	152.48	99599	25.40	31.75	161.92	44.45
152.40	152.27	152.48	99601	12.70	19.05	161.54	44.45
154.00	153.87	154.13	99605	26.01	30.00	161.92	32.99
154.86	154.74	154.99	99606	26.01	30.00	167.01	32.99
157.56	157.43	157.68	99620	20.65	27.00	168.27	44.45
158.75	158.62	158.88	99625	26.19	31.75	168.27	44.45
160.00	159.74	159.99	99630	25.40	31.75	171.45	34.92
165.10	164.97	165.23	99650	25.40	31.75	177.80	34.92
169.88	169.75	170.00	99640	31.75	38.00	182.58	44.45
171.45	171.32	171.58	99675	20.65	27.00	180.97	44.45
175.01	174.75	175.01	99687	27.99	32.00	186.99	35.00
177.80	177.67	177.93	99700	25.40	31.75	189.86	42.88
180.01	179.76	180.01	99721	32.99	38.00	190.50	44.50
184.15	184.00	184.25	99725	31.75	38.10	197.10	55.24
184.86	184.73	184.99	99726	32.00	38.00	197.10	54.99
189.31	189.08	189.33	99745	20.65	25.40	199.64	31.75
190.50	190.37	190.63	99750	20.65	25.40	200.02	31.75
196.85	196.72	196.98	99775	25.40	33.35	210.06	47.63
200.02	199.87	200.13	99787	34.52	38.10	212.72	44.45
201.63	201.50	201.75	99799	25.40	31.75	212.72	44.45
203.20	203.07	203.33	99800	25.40	31.75	212.72	44.45

★ Indicates Speedi-Sleeve Gold Product